

	Type	Hits	Search Text	DBs	Time Stamp	Error Corr Com m e n t s i t i o n
1	BRS	12	ferroelectric with oxygen with deficiency	USPAT; EPO; JPO; DERWENT;	2002/01 /28	0
2	BRS	15	ferroelectric with oxygen with deficiency	USPAT; EPO; JPO; DERWENT;	2002/01 /28	0
3	BRS	514	ferroelectric and (oxygen with electrode)	USPAT; EPO; JPO; DERWENT;	2002/01 /28	0
4	BRS	32	ferroelectric and (oxygen with (top adj electrode))	USPAT; EPO; JPO; DERWENT;	2002/01 /28	0
5	BRS	10	ferroelectric and (oxygen with presence with electrode)	USPAT; EPO; JPO; DERWENT;	2002/01 /28	0
6	BRS	0	ferroelectric and ((top or upper) adj electrode\$1) with ("platinum oxide" or (Pt near4 Rh near5 oxide\$1))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/01 /29 13:23	0
7	BRS	7	ferroelectric and ((top or upper) adj electrode\$1) with ("platinum oxide" or (Pt near4 Rh near5 oxide\$1))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/01 /29 13:37	0
8	BRS	4	ferroelectric and (((top or upper) adj electrode\$1) with ("platinum oxide" or "pt oxide" or "ptO.sub.2"))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/01 /29 13:43	0
9	BRS	6	((top or upper) adj electrode\$1) with ("platinum oxide" or "pt oxide" or	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/01 /29 13:44	0